FABRICExpansion Joints



Corrosion resistance and movement absorption the light and easy way

Consisting of multiple or single layers of elastomers and fabrics, Fabric Expansion Joints can alter themselves to absorb movements and accommodate thermal expansion or misalignment of flanges.

KLINGER Fabric Expansion Joints can be made from special woven fabrics, laminated with selected elastomers or fluoropolymers, and customised into different sizes and shapes to meet unique requirements and cut engineering time significantly. Lightweight, easy to install and have good acoustic properties, they are well suited for severe applications where high temperature and movement management are critical.

Advantages

- » Superb form stability
- » Highly customisable to suit varying applications
- » Excellent vibration and noise elimination allowance
- » For high-temperature applications up to 850°C
- » Minimum reaction force
- » Save space


Applications

- » Chemical & petrochemical process plants
- » Cement plants
- » Pulp and Paper Plants
- » Power plants
- » Boiler stations
- » Gas turbine plants
- » Metallurgical plants

DESIGN VALUES

| Design Pressure | up to 1 barg |
|--------------------|--------------|
| Design Temperature | 850°C |





Version: Fabric expansion joints_29112022 Klinger.com.au



KLINGER Limited

AUSTRALIA

Western Australia - Head Office 38 McDowell Street Welshpool WA 6106

Queensland Unit 3, 5-7 Roseanna Street Gladstone QLD 4680

Tel: 1300 798 279 (calls within Australia)

Tel: +61 8 92511688 (calls outside Australia)

NEW ZEALAND

Tel: +64 272 735 045

SINGAPORE

105 Cecil Street #07-01, The Octagon Singapore 069534 Tel: +65 6827 9045

161. +00 0021 3040

KLINGER Thailand

501/2 Moo 2, Tambol Mabyangporn Amphur Ruak Daeng Rayong 21140 Thailand Tel: +66 3306 0154